

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/748,451	12/30/2003	Michael J. Bonnette	POSSIS P541	2401
21270 HUGH D JAEG	7590 03/20/200 GER. P.A.	7	EXAMINER	
P.O. BOX 672 WAYZATA, MN 55391-0672			NEAL, TIMOTHY J	
			ART UNIT	PAPER NUMBER
			3731	
<u></u>	4			
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		. 03/20/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
Office Action Summary	10/748,451	BONNETTE ET AL.			
cines rioden cummary	Examiner	Art Unit			
The MAILING DATE of this communication app	Timothy J. Neal	3731			
Period for Reply	bears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of the provision	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status	·				
1) Responsive to communication(s) filed on 2/21	<u>/2007</u> .				
2a) This action is FINAL . 2b) ☐ This	This action is FINAL . 2b)⊠ This action is non-final.				
3) Since this application is in condition for allowa	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.			
Disposition of Claims	•				
4) ☐ Claim(s) 1-45 is/are pending in the application 4a) Of the above claim(s) 19-45 is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-18 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.	٠.			
Application Papers					
9) The specification is objected to by the Examiner.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	nte			

DETAILED ACTION

Election/Restrictions

Claims 19-45 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected invention, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on 2/21/2007. The traversal is on the ground(s) that the Examiner would need to search in all of the same places for all of the inventions. This is not found persuasive because group III requires an evacuating catheter generally found in class 604. The method claims will not necessarily be located in the same area as the product claims. Also, the method claims are such that the Examiner would need to focus on particular steps that are not inherent to the product. This requires a separate search strategy that is considered to be a burden on the Examiner. The Applicant has made no argument that the inventions as restricted are not independent and distinct as set forth in the restriction requirement.

Therefore, the requirement is still deemed proper and is therefore made FINAL.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the

Application/Control Number: 10/748,451

Art Unit: 3731

applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1, 9, 12-14, and 16 are rejected under 35 U.S.C. 102(e) as being anticipated by Douk et al. (2002/0151927).

- 1. Apparatus for use in vascular procedures comprising: a. a tubular guidewire (20) having a proximal end, a distal ends, and a lumen; b. a control cable (42) having a proximal end and a distal end disposed in the lumen of the tubular guidewire; and, c. a sheathless filter (25) distally coupled to the control cable and proximally coupled to the tubular guidewire, the sheathless filter being radially expandable in response to displacement of the control cable relative to the tubular guidewire such that the sheathless filter presents at least a convex primary filter surface to a flow of blood within a blood vessel when introduced thereinto and expanded (see paragraphs 17 and 18).
- 9. The apparatus of claim 1, wherein the sheathless filter comprises a tubular braided wire framework; and, a filter mesh formed of nitinol wires co-braided with the wires of the tubular braided wire framework (Figure 5, select at least two wires that intersect each other and that is the tubular braided wire framework, the remaining wires are considered the filter mesh).
- 12. The apparatus of claim 1, wherein the sheathless filter includes means for visibly identifying the sheathless filter under fluoroscopy (Paragraph 51).

Application/Control Number: 10/748,451 Page 4

Art Unit: 3731

13. The apparatus of claim 1, wherein the sheathless filter includes a distal interior face

presenting a concave secondary filter surface to the flow of blood within the blood

vessel (Fig 5).

14. The apparatus of claim 1, wherein the proximal end of the tubular guidewire is free

of mechanical connections and obstructions so as to enable the tubular guidewire to

function as a conventional exchange guidewire while the sheathless filter is deployed

(No mechanical connections disclosed, guidewire is disclosed as functioning like a

conventional guidewire).

16. The apparatus of claim 1, wherein the sheathless filter is formed of resilient flexible

members interlaced to form a tubular net (25), the tubular net having an undeployed

state in which the flexible members lie generally parallel to a longitudinal axis of the

control cable and tubular guidewire and having a plurality of selectively deployable

states in which the flexible members are radially expanded from the longitudinal axis of

the control cable and tubular guidewire to a diameter coincident with a diameter of the

blood vessel (Fig 5 and paragraphs 17 and 18).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 2-5 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Douk et al. (2002/0151927).

Douk discloses the invention substantially as claimed as stated above. Douk does not explicitly disclose a means for resisting displacement of the control cable in the specific embodiment referenced by the Examiner. Douk does disclose a stop element in some of the embodiments to limit axial movement (Paragraph 19). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to modify Douk's filter assembly to include a resisting means to prevent overexpansion of the filter. Also, the Applicant has provided no advantage to the three claimed embodiments of the resisting means. Therefore, it would have been obvious to a person having ordinary skill in the art to interchange a tube, a clamp, and a stop.

Douk does not explicitly disclose the outer diameter of the filter. However, it is well known and within the purview of one having ordinary skill in the art to modify the size of filters to fit specific anatomical features. Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to modify Douk's filter to have a maximum outer diameter as claimed. Such a modification would prevent a filter that is too large for the desired vessel from damaging the vessel upon expansion.

Application/Control Number: 10/748,451

Art Unit: 3731

Claims 2-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Douk et al. (2002/0151927) in view of Kusleika et al. (US 6,325,815).

Douk discloses the invention substantially as claimed as stated above. Douk does not explicitly disclose a means for resisting displacement of the control cable. Kusleika teaches the use of a stop (40) to prevent overexpansion of the filter. Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to modify Douk's filter assembly to include Kusleika's resisting means. Such a modification would prevent overexpansion of the filter. Also, the Applicant has provided no advantage to the three claimed embodiments of the resisting means. Therefore, it would have been obvious to a person having ordinary skill in the art to interchange a tube, a clamp, and a stop.

Claims 2-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Douk et al. (2002/0151927) in view of Seguin et al. (US 6,562,058).

Douk discloses the invention substantially as claimed as stated above. Douk does not explicitly disclose a means for resisting displacement of the control cable.

Seguin teaches a clamp device for controlling the movement of an actuating cable (Figs 8A-D). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to modify Douk's filter assembly to include Seguin's resisting means. Such a modification would prevent overexpansion of the filter. Also, the Applicant has provided no advantage to the three claimed embodiments of the

Art Unit: 3731

resisting means. Therefore, it would have been obvious to a person having ordinary skill in the art to interchange a tube, a clamp, and a stop.

Claims 6-8, 10, and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Douk et al. (2002/0151927) in view of Greenhalgh (US 6,364,895).

Douk discloses the invention substantially as claimed as stated above. Douk also discloses a tubular braided wire framework (25); wherein the tubular braided wire framework is constructed of biocompatible nitinol wire (Paragraph 44); wherein a distal end of the tubular braided wire framework is operably attached to the control cable and a proximal end of the tubular braided wire framework is operably attached to the tubular guidewire (Paragraphs 17 and 18). Douk does not explicitly disclose a polymer fabric woven into the framework. Greenhalgh teaches co-braiding metal wires and polymer yarns to form a filter structure (Column 5 Lines 25-48). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to modify Douk's filter to include Greenhalgh's filter mesh. Such a modification would allow for control over the porosity of the filter. Also, modifying the pore size of the filter would have been obvious to a person having ordinary skill in the art to prevent particulates from escaping the filter. The Kusleika reference cited above notes that pore size should be between 20 and 1500 microns as desired (Column 4 Line 59).

Claims 17 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Douk et al. (2002/0151927) in view of Gillick et al. (US 6,383,206).

Douk discloses the invention substantially as claimed as stated above. Douk does not explicitly disclose the flexible members abutting to prevent blood flow. Gillick teaches the concept of a filter that prevents blood flow in one state (Column 4 Lines 5-8). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to modify Douk's filter to include Gillick's state. Such a modification would prevent blood flow through the filter until the filter is properly placed. Also, modifying the pore size of the filter would have been obvious to a person having ordinary skill in the art to prevent particulates from escaping the filter. The Kusleika reference cited above notes that pore size should be between 20 and 1500 microns as desired (Column 4 Line 59).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Muni et al. (US 2003/0009146) discloses a guidewire having a sheathless filter with a control wire (Figure 12).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy J. Neal whose telephone number is (571) 272-0625. The examiner can normally be reached on M-F 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan Nguyen can be reached on (571) 272-4963. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/748,451

Art Unit: 3731

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TJN

ANHTUANT, NGUYEN SUPERVISORY PATENT EXAMINER Page 9